SAFETY DATA SHEET

REJUVENATE

Issued: 18/08/2010

Revision No: 1

Page 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: PRE WAX CLEANSER

Product code: REJ

Synonyms: USED CAR POLISH

Company name: AUTO FINESSE

Unit 7C Silkmead Ind Est

Hare Street

Buntingford Road

Herts SG90DX

United Kingdom

Tel: +44 (0) 1763 849995 Fax: +44 (0) 1763 849995

Emergency tel: +44 (0) 1763 849995

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM),

HYDROTREATED HEAVY 10-30% EINECS: 265-150-3 CAS: 64742-48-9

[-] R10; [Xn] R65; [Xi] R66

3. HAZARDS IDENTIFICATION

Main hazards: Flammable. Repeated exposure may cause skin dryness or cracking.

Other hazards: Flammable.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.

Eve contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool

containers.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin

and eyes.

[cont...]

Issued: 18/08/2010

SAFETY DATA SHEET

REJUVENATE Page 2

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up

to prevent the escape of liquid. Mark out the contaminated area with signs and prevent access

to unauthorised personnel.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by

an appropriate method.

7. HANDLING AND STORAGE

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room

must be impermeable to prevent the escape of liquids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Yellow-gold

Odour: Characteristic odour

Evaporation rate: Moderate
Solubility in water: Insoluble
Viscosity: Viscous
Flash point C: 36-41

Relative density: 0.99

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: Not biodegradable.

Bioaccumulative potential: Bioaccumulation potential.

Issued: 18/08/2010

SAFETY DATA SHEET

REJUVENATE

Other adverse effects: Toxic to aquatic organisms. Toxic to soil-based organisms.

13. DISPOSAL CONSIDERATIONS

Disposal operations: Dispose in accordance with local laws and regulations governing disposal of chemicals.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: 1993 **ADR Class:** 3

Packing group: II Classification code: F1

Shipping name: FLAMMABLE LIQUID, N.O.S.

Labelling: 3 Hazard ID no: 33



IMDG / IMO

UN no: 1993 Class: 3

Packing group: II EmS: F-E,S-E

Marine pollutant: . Labelling: 3

IATA / ICAO

UN no: 1993 Class: 3

Packing group: II Packing instructions: 305(P&CA); 307(CAO)

Labelling: 3

15. REGULATORY INFORMATION

Hazard symbols: No significant hazard.

Risk phrases: R10: Flammable.

R66: Repeated exposure may cause skin dryness or cracking.

Safety phrases: S2: Keep out of the reach of children.

Precautionary phrases: Contains mergal k9n. May produce an allergic reaction.

Note: The regulatory information given above only indicates the principal regulations specifically

applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all

applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.2: R10: Flammable.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

[cont...]

Page 3

SAFETY DATA SHEET

REJUVENATE

Page 4

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall

be used only as a guide. This company shall not be held liable for any damage resulting from

handling or from contact with the above product.